

	Pg.	Tiratore	Sniper		Fass 90 tiro di campagna federale	Pistola P 75	Tiro operativo F ass 90		Totale	90,00%	80,00%	70,00%	Max Teorico	90%	80%	70%
25	25	R	91		52	90	31		264	=	=	=	400	360,00	320,00	280,00
	25	V	94		53	83	50		280	=	=	Cupper	P. max	N. brev.	N. brev.	N. brev.
	25	B	95		51	89	42		277	=	=	=	297	0	0	11
	25	G	86		31	67	40		224	=	=	=	Media			
26	26	R	84		41	34	44		203	=	=	=	204,8654			
	26	V	83		38	34	47		202	=	=	=				
	26	B	23		36	69	47		175	=	=	=				
	26	G	0		0	0	0		0	=	=	=				
27	27	R	87		61	68	36		252	=	=	=				
	27	V	89		54	63	50		256	=	=	=				
	27	B	91		59	87	50		287	=	=	Cupper				
	27	G	75		31	83	50		239	=	=	=				
28	28	R	92		61	96	47		296	=	=	Cupper				
	28	V	88		47	23	47		205	=	=	=				
	28	B	85		48	36	23		192	=	=	=				
	28	G	80		48	32	50		210	=	=	=				
29	29	R	93		50	88	41		272	=	=	=				
	29	V	87		55	89	35		266	=	=	=				
	29	B	80		43	89	50		262	=	=	=				
	29	G	90		48	67	47		252	=	=	=				
30	30	R	95		49	88	44		276	=	=	=				
	30	V	92		23	24	44		183	=	=	=				
	30	B	83		42	40	50		215	=	=	=				
	30	G	94		37	37	47		215	=	=	=				
31	31	R	90		49	76	47		262	=	=	=				
	31	V	85		41	71	47		244	=	=	=				
	31	B	74		38	37	44		193	=	=	=				
	31	G	47		51	50	42		190	=	=	=				
32	32	R	79		45	84	41		249	=	=	=				
	32	V	94		38	60	47		239	=	=	=				
	32	B	86		38	64	30		218	=	=	=				
	32	G	79		29	44	16		168	=	=	=				
33	33	R	41		48	69	44		202	=	=	=				
	33	V	51		38	32	30		151	=	=	=				
	33	B	91		37	21	18		167	=	=	=				
	33	G	57		43	86	50		236	=	=	=				

34	34	R	92		42	60	44		238	=	=	=						
	34	V	76		49	78	47		250	=	=	=						
	34	B	46		57	68	37		208	=	=	=						
	34	G	91		50	72	38		251	=	=	=						
35	35	R	86		53	69	47		255	=	=	=						
	35	V	91		31	58	47		227	=	=	=						
	35	B	87		50	88	44		269	=	=	=						
	35	G	79		54	84	45		262	=	=	=						
36	36	R	96		57	90	45		288	=	=	Copper						
	36	V	77		53	78	39		247	=	=	=						
	36	B	91		43	86	44		264	=	=	=						
	36	G	93		46	84	47		270	=	=	=						
37	37	R	0		0	0	0		0	=	=	=						
	37	V	0		0	0	0		0	=	=	=						
	37	B	0		0	0	0		0	=	=	=						
	37	G	0		0	0	0		0	=	=	=						
38	38	R	77		22	27	42		168	=	=	=						
	38	V	84		38	13	42		177	=	=	=						
	38	B	36		28	38	42		144	=	=	=						
	38	G	92		44	87	47		270	=	=	=						
39	39	R	91		50	83	50		274	=	=	=						
	39	V	62		53	78	47		240	=	=	=						
	39	B	93		51	71	41		256	=	=	=						
	39	G	68		55	88	44		255	=	=	=						
40	40	R	61		46	84	38		229	=	=	=						
	40	V	96		38	61	44		239	=	=	=						
	40	B	91		36	79	39		245	=	=	=						
	40	G	92		56	81	33		262	=	=	=						
41	41	R	86		62	98	47		293	=	=	Copper						
	41	V	93		29	62	38		222	=	=	=						
	41	B	87		50	62	44		243	=	=	=						
	41	G	91		52	59	47		249	=	=	=						
42	42	R	73		56	43	36		208	=	=	=						
	42	V	81		60	77	44		262	=	=	=						
	42	B	60		22	79	50		211	=	=	=						
	42	G	73		54	77	45		249	=	=	=						
43	43	R	40		32	63	38		173	=	=	=						
	43	V	39		56	36	50		181	=	=	=						
	43	B	95		59	48	42		244	=	=	=						

	43	G	84		24	50	38		196	=	=	=						
44	44	R	0		0	0	0		0	=	=	=						
	44	V	0		0	0	0		0	=	=	=						
	44	B	0		0	0	0		0	=	=	=						
	44	G	0		0	0	0		0	=	=	=						
	45	R	87		56	92	50		285	=	=	Copper						
45	45	V	89		44	70	47		250	=	=	=						
	45	B	89		44	84	47		264	=	=	=						
	45	G	95		43	87	47		272	=	=	=						
	46	R	92		48	90	50		280	=	=	Copper						
46	46	V	95		49	24	47		215	=	=	=						
	46	B	96		63	74	50		283	=	=	Copper						
	46	G	92		56	91	47		286	=	=	Copper						
	47	R	28		38	38	19		123	=	=	=						
47	47	V	57		15	27	47		146	=	=	=						
	47	B	92		32	0	50		174	=	=	=						
	47	G	83		27	30	32		172	=	=	=						
	48	R	74		41	74	34		223	=	=	=						
48	48	V	58		21	62	42		183	=	=	=						
	48	B	87		22	32	41		182	=	=	=						
	48	G	88		40	71	50		249	=	=	=						
	49	R	93		42	76	47		258	=	=	=						
49	49	V	81		34	80	37		232	=	=	=						
	49	B	77		45	93	47		262	=	=	=						
	49	G	80		33	82	50		245	=	=	=						
	50	R	89		52	90	44		275	=	=	=						
50	50	V	91		25	34	11		161	=	=	=						
	50	B	80		51	50	44		225	=	=	=						
	50	G	27		30	24	27		108	=	=	=						
	51	R	83		34	32	47		196	=	=	=						
51	51	V	46		22	71	44		183	=	=	=						
	51	B	85		48	77	45		255	=	=	=						
	51	G	80		34	56	44		214	=	=	=						
	52	R	81		49	74	47		251	=	=	=						
52	52	V	74		43	73	44		234	=	=	=						
	52	B	32		1	13	14		60	=	=	=						
	52	G	94		50	84	50		278	=	=	=						
	53	R	94		50	84	44		272	=	=	=						
53	V	93		39	31	50		213	=	=	=							

53	53	B	98		24	44	47		213	=	=	=					
	53	G	91		29	44	42		206	=	=	=					
54	54	R	67		61	90	44		262	=	=	=					
	54	V	93		47	68	50		258	=	=	=					
	54	B	92		36	43	47		218	=	=	=					
	54	G	90		52	58	44		244	=	=	=					
55	55	R	92		58	68	41		259	=	=	=					
	55	V	73		28	76	44		221	=	=	=					
	55	B	94		54	90	50		288	=	=	Copper					
	55	G	82		35	70	50		237	=	=	=					
56	56	R	94		57	81	44		276	=	=	=					
	56	V	95		60	92	50		297	=	=	Copper					
	56	B	87		50	96	41		274	=	=	=					
	56	G	82		39	76	31		228	=	=	=					
57	57	R	65		10	0	47		122	=	=	=					
	57	V	94		57	63	35		249	=	=	=					
	57	B	90		38	70	27		225	=	=	=					
	57	G	61		42	54	42		199	=	=	=					
58	58	R	0		0	0	0		0	=	=	=					
	58	V	94		0	92	35		221	=	=	=					
	58	B	91		0	20	45		156	=	=	=					
	58	G	90		0	94	44		228	=	=	=					
59	59	R	91		54	24	47		216	=	=	=					
	59	V	75		20	0	33		128	=	=	=					
	59	B	82		40	30	42		194	=	=	=					
	59	G	64		28	0	40		132	=	=	=					
60	60	R	90		54	66	44		254	=	=	=					
	60	V	32		4	0	16		52	=	=	=					
	60	B	18		29	42	42		131	=	=	=					
	60	G	51		9	7	31		98	=	=	=					
61	61	R	0		0	0	0		0	=	=	=					
	61	V	0		0	0	0		0	=	=	=					
	61	B	0		0	0	0		0	=	=	=					
	61	G	0		0	0	0		0	=	=	=					
62	62	R	82		46	74	40		242	=	=	=					
	62	V	87		49	74	47		257	=	=	=					
	62	B	88		54	87	50		279	=	=	=					
	62	G	90		56	70	50		266	=	=	=					
63	R	87		43	91	41		262	=	=	=						

63	63	V	88		46	96	47		277	=	=	=				
	63	B	85		32	88	35		240	=	=	=				
	63	G	0		0	0	0		0	=	=	=				